

175. 学 校 保 健 統

(1) 近 視 被 患 率 年 次 別 比 較

区 分		26年度	27年度	28年度	29年度	30年度	31年度	32年度	33年度	34年度	35年度	36年度	37年度
小学校	男	5.3	6.0	7.4	10.5	9.6	9.1	7.9	8.3	9.8	8.5	11.4	11.6
	女	5.9	6.2	7.8	12.4	10.2	10.1	10.3	9.3	10.2	9.8	12.1	13.3
中学校	男	8.6	9.8	11.6	14.5	14.7	14.0	14.2	12.9	14.3	14.2	18.0	18.6
	女	10.1	10.7	13.7	16.4	18.3	15.8	16.4	14.2	15.0	16.8	21.7	19.9
高等学校	男	12.8	10.1	19.1	20.5	22.6	24.2	24.0	27.2	30.0	34.1	30.1	26.4
	女	12.9	8.8	14.0	22.2	24.4	29.8	20.8	26.9	28.6	32.9	29.3	32.2

(3) 昭 和 37 年 度 疾 病 異

区 分		3 才		4 才		5 才		6 才		7 才		8 才		9
		男	女	男	女	男	女	男	女	男	女	男	女	男
栄 養 要 注 意		—	—	0.2	—	0.2	0.04	0.9	1.0	1.6	1.1	1.4	1.7	0.8
せ き 柱 異 常		—	—	0.4	0.3	0.5	0.4	0.6	0.6	1.1	1.2	1.7	1.2	1.6
胸 郭 異 常		1.1	—	—	0.1	0.5	0.3	1.2	0.5	1.0	0.7	1.0	0.9	0.8
近 遠 亂 弱 色	視 視 視	—	—	—	—	1.5	0.6	11.7	13.8	11.3	12.5	9.5	10.8	11.7
弱 色 神 異 常		—	—	—	—	—	—	—	—	—	0.2	—	0.2	—
ト ラ ホ 一 ム		—	—	—	—	—	—	0.1	0.1	0.1	—	0.1	0.1	0.2
結 腹 炎	膜 炎	4.5	4.2	4.2	5.1	5.2	5.9	4.7	5.2	2.9	4.3	4.0	5.1	4.2
そ の 他 の 眼 疾		1.9	—	1.5	0.5	1.9	1.9	1.8	2.1	2.0	2.9	2.4	2.2	1.9
難 聽 (両耳)		—	—	—	—	—	—	0.1	0.5	0.5	0.4	0.5	0.4	0.4
耳 中 耳 炎		—	—	0.4	0.4	0.2	0.4	0.8	0.4	0.4	0.4	0.5	0.3	0.4
そ の 他 の 耳 疾		—	—	0.4	0.4	0.8	0.3	0.8	1.0	0.7	0.5	0.9	0.6	0.6
鼻 菌 の う 症		0.4	—	0.8	0.5	0.7	0.4	2.4	1.0	1.5	0.9	1.4	0.9	1.3
ア デ ノ イ ド		—	—	0.8	0.3	1.4	0.7	3.1	2.5	2.0	0.9	1.5	1.1	0.8
へん桃せん肥大		12.8	7.0	9.6	8.9	12.4	10.7	13.5	12.9	12.4	10.5	11.2	10.8	10.2
その他の鼻、いん頭の疾患		3.8	3.3	2.7	1.6	4.6	3.2	6.9	4.3	6.1	4.7	4.5	3.5	4.0
伝 染 性 の 皮 膚 疾 患		—	—	0.5	0.4	1.0	0.9	4.5	4.4	5.8	4.2	5.3	3.4	4.8
心 脳 の 疾 患		—	—	0.3	0.3	0.2	0.2	0.2	0.5	0.6	0.4	0.4	0.4	0.6
精 神 薄 弱		—	—	—	—	0.1	—	1.7	1.3	1.6	1.0	1.4	1.3	1.5
身 体 虚 弱		0.4	—	—	—	0.04	—	0.3	0.7	0.7	0.7	0.9	0.6	0.6
運 動 機 能 障 害		—	—	0.9	0.1	0.1	0.04	0.2	0.05	0.3	0.2	0.4	0.2	0.7
寄 生 虫 病		—	—	—	—	—	—	—	—	—	—	—	—	0.1
そ の 他 の 疾 患		0.8	—	0.6	0.5	0.7	0.9	1.1	0.7	0.6	0.5	0.4	0.8	0.5
歯 {処置完了者		0.5	1.3	2.0	2.6	1.7	2.4	1.0	0.5	1.9	2.5	4.0	4.3	6.2
歯 {未処置歯ある者		63.9	63.9	70.8	64.9	66.3	65.7	73.2	75.4	75.7	78.5	79.0	80.4	76.2
そ の 他 の 歯 疾		—	—	—	—	—	—	0.1	0.2	0.5	0.7	0.6	0.5	0.8

計 調 査 結 果

(2) むし歯被患率年次別比較

区分		26年度	27年度	28年度	29年度	30年度	31年度	32年度	33年度	34年度	35年度	36年度	37年度
小学校	男	39.7	42.2	45.0	53.5	55.1	65.7	70.1	76.7	78.4	81.0	77.5	80.1
	女	38.7	42.6	46.7	57.3	58.6	67.3	72.6	80.1	80.2	82.8	80.5	82.2
中学校	男	31.2	31.6	33.3	36.7	40.4	43.2	54.5	51.3	65.0	67.0	71.9	70.6
	女	33.7	37.5	38.0	40.5	46.7	48.6	61.3	60.1	72.2	71.4	79.7	77.9
高等学校	男	53.0	41.0	42.9	46.2	42.9	47.4	60.4	56.4	60.1	69.4	72.0	80.5
	女	60.0	57.1	47.2	53.1	58.2	55.4	69.7	66.6	71.9	79.3	84.7	80.8

常 被 患 率 (一般検診) 状 況

才	10才		11才		12才		13才		14才		15才		16才		17才		18才	
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
0.8	1.2	1.1	1.3	1.1	1.2	1.2	1.4	1.1	0.8	0.7	0.1	0.6	0.1	0.4	—	0.3	—	—
1.1	0.7	0.6	1.2	1.1	0.5	0.5	0.4	0.6	0.4	0.3	1.1	0.4	1.2	0.6	—	0.3	—	0.7
0.9	0.8	1.0	1.0	1.3	0.5	0.6	0.7	0.5	0.7	0.7	0.3	0.1	0.2	0.2	0.2	—	—	—
13.5	10.9	13.4	13.9	8.5	15.4	16.4	18.4	19.9	21.6	23.0	23.6	34.9	27.2	28.0	30.5	33.7	21.4	19.1
—	0.04	—	—	—	0.3	0.5	0.8	0.4	0.6	0.6	0.3	0.1	0.4	0.1	0.2	—	0.6	—
0.1	0.2	0.3	0.04	0.3	0.1	0.03	0.1	0.1	0.3	0.2	0.6	1.3	0.7	1.7	0.9	1.4	0.4	0.7
0.4	0.2	—	0.2	0.04	0.6	0.5	0.4	0.8	0.5	0.8	4.6	1.0	0.6	0.7	0.7	1.1	0.4	—
0.5	3.9	0.2	3.4	0.2	3.6	0.4	4.1	0.3	3.9	0.4	3.0	0.3	3.5	0.4	3.3	0.5	1.4	—
1.7	1.3	1.4	1.0	1.6	2.0	1.9	1.6	1.7	1.4	1.2	1.0	0.3	0.7	0.4	0.5	0.5	2.4	—
6.0	3.6	5.4	4.1	6.2	3.6	4.0	3.6	3.3	3.7	3.7	5.8	4.9	8.1	4.6	6.4	5.4	9.7	—
1.9	2.1	2.3	1.8	1.9	1.9	1.7	1.8	2.1	1.7	1.9	1.7	1.4	0.9	1.0	1.2	0.8	2.2	0.7
0.3	0.3	0.3	0.2	0.1	0.5	0.7	1.1	0.7	0.9	0.7	0.3	0.2	0.1	—	0.1	0.1	—	—
0.1	0.5	0.3	0.4	0.2	0.6	0.3	0.4	0.4	0.4	0.4	0.4	0.2	0.2	0.2	0.3	0.4	0.6	0.7
0.7	0.5	0.4	0.7	0.6	0.2	0.2	0.2	0.2	0.2	0.2	—	0.6	—	0.2	—	0.4	—	—
1.3	1.2	1.1	1.3	1.0	1.8	2.0	1.2	1.2	1.5	10.7	0.8	1.4	0.2	0.1	0.2	0.7	1.0	—
1.0	0.9	1.0	0.6	0.3	0.8	0.9	0.2	0.4	0.1	0.2	—	—	—	—	—	—	—	—
10.2	9.5	9.2	8.8	10.8	7.1	7.9	4.8	5.6	5.1	4.6	2.2	4.8	0.8	1.4	1.0	0.9	2.6	3.2
3.2	2.8	2.2	2.6	2.1	1.6	1.3	0.7	0.7	0.8	0.6	1.4	4.7	0.4	0.8	0.5	1.8	0.2	0.7
3.2	4.3	2.9	4.8	2.2	1.1	0.4	1.3	0.6	1.1	0.3	0.05	—	—	0.2	—	0.1	0.2	—
0.7	0.5	0.6	1.0	0.6	0.6	0.5	0.4	0.4	0.4	0.3	0.6	0.3	0.5	0.6	0.7	0.5	0.2	—
1.3	1.5	1.8	1.2	1.4	1.3	1.2	1.6	1.0	1.3	1.3	—	—	—	—	—	—	—	—
0.8	0.5	0.5	0.4	0.5	0.6	0.3	0.4	0.3	0.3	0.5	—	0.5	—	0.1	—	0.2	—	—
0.1	0.4	0.2	0.4	0.4	0.3	0.3	0.4	0.4	0.3	0.3	0.1	0.1	0.2	—	—	—	—	—
0.1	0.1	0.04	—	—	—	—	—	0.04	—	—	0.1	—	—	—	—	—	—	—
0.5	0.4	0.2	0.4	0.5	0.4	0.4	0.2	0.2	0.2	0.1	0.2	0.1	0.6	0.2	1.7	—	0.7	—
8.0	9.0	12.1	12.9	16.7	15.1	17.4	14.9	18.2	13.2	16.4	19.1	7.2	16.3	13.3	16.9	16.2	18.4	24.7
79.2	72.3	69.1	67.3	65.9	54.6	58.8	54.8	60.1	59.4	62.6	69.2	71.1	65.0	66.6	57.2	69.0	52.9	50.6
1.1	1.2	1.0	1.7	1.3	2.3	2.2	2.3	1.7	3.4	2.9	5.0	4.6	1.6	3.2	2.5	3.6	0.6	1.3

(4) 昭和37年度学校

区分	幼稚園				小学校		
	男		女		男		
	受検人員	該当者率	受検人員	該当者率	受検人員	該当者率	受検人員
栄養要注意	3 918	0.2	3 612	0.03	15 456	1.2	14 875
せき柱異常	3 918	0.4	3 612	0.4	15 456	1.2	14 875
胸郭異常	3 918	0.4	3 612	0.2	15 456	1.0	14 875
近視	1 690	0.4	1 531	0.5	13 339	11.6	12 846
遠視	1 690	—	1 531	—	13 186	0.01	12 696
乱視	1 690	—	1 531	—	12 839	0.1	12 362
弱視(両眼)	1 690	—	1 531	—	13 262	0.1	12 767
色神異常	2 199	0.3	2 046	—	15 098	3.0	14 214
トラホーム	3 918	0.6	3 612	0.8	15 456	1.2	14 875
結膜炎	3 918	4.9	3 612	5.6	15 456	3.9	14 875
その他の眼疾	3 918	1.8	3 612	1.4	15 456	2.0	14 875
難聴	2 222	—	2 981	0.03	14 453	0.4	13 895
耳中耳炎	3 918	0.2	3 612	0.4	15 456	0.5	14 875
その他の耳疾	3 918	0.7	3 612	0.3	15 456	0.7	14 875
蓄膿症	3 918	0.7	3 612	0.4	15 456	1.5	14 875
アデノイド	3 918	1.1	3 612	0.5	15 456	1.4	14 875
へん桃せん肥大	3 918	11.6	3 612	10.0	15 456	10.8	14 875
その他の鼻、いん頭の疾患	3 918	4.0	3 612	2.8	15 456	4.3	14 875
伝染性の皮膚疾患	3 918	0.8	3 612	0.7	15 456	4.9	14 875
心臓の疾患	3 918	0.2	3 612	0.2	15 456	0.6	14 875
精神薄弱	3 918	0.1	3 612	—	15 456	1.5	14 875
身体虚弱	3 918	0.1	3 612	—	15 456	0.6	14 875
運動機能障害	3 918	0.1	3 612	0.1	15 456	0.4	14 875
寄生虫病	3 918	—	3 612	—	15 456	0.03	14 875
その他の疾病および異常	3 918	0.6	3 612	0.7	15 456	0.6	14 875
歯う歯	3 004	1.7	2 775	2.4	15 184	6.3	14 571
未処置ある者	3 004	67.3	2 775	65.4	15 184	73.8	14 571
その他の歯疾	3 004	—	2 775	—	15 184	1.0	14 571

別 疾 病 異 常 被 患 率

校 女 該當者率	中 學 校				高 等 学 校			
	男		女		男		女	
受検人員	該當者率	受検人員	該當者率	受検人員	該當者率	受検人員	該當者率	
1.1	15 532	1.1	14 922	1.0	6 074	0.1	4 780	0.4
1.0	15 532	0.5	14 922	0.4	6 074	0.7	4 780	0.4
0.9	15 532	0.7	14 922	0.6	6 074	0.2	4 780	0.1
13.3	14 024	18.6	13 562	19.9	5 979	26.4	4 583	32.2
0.1	10 885	0.6	10 536	0.5	5 926	0.4	3 833	0.1
0.1	10 641	0.2	10 305	0.1	5 926	0.7	4 560	1.4
0.1	14 540	0.5	14 045	0.6	5 926	2.1	4 560	0.9
0.3	15 532	3.9	14 922	0.4	6 074	3.0	4 780	0.4
1.6	15 532	1.6	14 922	1.6	6 074	1.0	4 780	0.6
5.4	15 532	3.6	14 922	3.7	6 074	7.3	4 780	4.8
2.2	15 532	1.8	14 922	1.9	6 074	1.4	4 780	1.1
0.3	11 299	0.8	10 885	0.7	5 585	0.2	4 745	0.1
0.3	15 532	0.5	14 922	0.4	6 074	0.3	4 780	0.3
0.7	15 532	0.2	14 922	0.2	6 074	—	4 780	0.4
1.0	15 532	1.5	14 922	1.4	6 074	0.5	4 780	0.8
1.1	15 532	0.3	14 922	0.5	6 074	—	4 780	—
10.7	15 532	5.6	14 922	5.9	6 074	1.5	4 780	2.6
3.2	15 532	1.0	14 922	0.9	6 074	0.8	4 780	2.7
3.3	15 532	1.2	14 922	0.4	6 074	0.03	4 780	0.1
0.6	15 532	0.5	14 922	0.4	6 074	0.5	4 780	0.4
1.3	15 532	1.4	14 922	1.2	6 047	—	4 780	—
0.6	15 532	0.4	14 922	0.4	6 074	—	4 780	0.3
0.2	15 532	0.4	14 922	0.3	6 074	0.1	4 780	0.1
0.02	15 532	0.01	14 922	—	6 074	0.02	4 780	—
0.5	15 532	0.3	14 922	0.3	6 074	0.1	4 780	0.8
7.9	15 079	14.3	14 489	17.3	6 051	17.7	4 801	12.3
74.3	15 079	56.3	14 489	60.6	6 051	62.8	4 801	68.5
0.8	15 079	2.7	14 489	2.3	6 051	3.0	4 801	3.8

(5) 昭和37年度年令別、性別、

区分	身長(cm)						体重(kg)							
	男			女			男			女				
	受検員	平均	標準差	受検員	平均	標準差	受検員	平均	標準差	受検員	平均			
幼稚園	3	305	97.0	4.2	250	95.8	4.2	302	14.8	1.5	248	14.5		
	4	1 083	102.1	3.9	1 024	101.2	4.0	1 085	16.3	1.8	1 030	16.0		
	5	2 636	107.1	4.6	2 418	106.2	4.5	2 635	17.6	2.1	2 421	17.2		
小学校	総括	2 215	112.6	4.5	2 184	111.1	4.6	2 218	18.9	2.0	2 185	18.3		
		2 292	119.0	4.7	2 276	116.5	4.6	2 292	21.0	2.4	2 274	20.4		
		2 413	123.6	4.5	2 334	121.5	5.0	2 414	23.0	2.6	2 334	22.5		
		2 671	127.9	5.1	2 465	126.8	5.3	2 670	25.4	2.9	2 471	25.0		
		2 848	132.3	5.4	2 620	132.2	6.3	2 846	27.9	3.4	2 624	28.2		
		3 303	136.5	5.9	2 953	137.4	6.6	3 001	30.7	4.3	2 959	32.1		
	再掲校	6	90	111.2	3.8	121	110.3	4.9	90	18.8	1.8	121	18.3	
		7	114	116.5	2.6	131	116.4	4.8	114	21.1	2.0	130	20.8	
		8	99	123.1	4.9	117	121.4	5.3	100	23.2	2.5	117	23.1	
		9	153	126.1	4.9	114	126.1	5.4	153	25.3	2.8	115	25.3	
		10	128	130.6	5.4	133	131.3	5.9	128	27.8	2.8	133	28.4	
中学校		11	134	135.9	5.3	129	138.3	5.8	134	31.1	4.1	129	33.0	
総括	12	4 710	142.8	7.3	4 658	144.5	6.7	4 711	33.9	5.6	4 612	37.1		
	13	5 324	149.5	8.0	5 063	148.9	5.8	5 316	39.1	6.6	5 047	41.7		
	14	5 450	156.3	7.5	5 262	151.4	5.2	5 450	45.7	7.0	5 217	45.2		
中学校	再掲校	12	141	141.5	7.4	143	142.4	6.5	141	34.7	5.3	143	37.5	
		13	160	146.8	7.8	167	147.1	6.3	160	38.9	6.5	167	41.4	
		14	166	155.0	7.0	169	149.3	5.2	166	46.3	6.5	169	45.1	
	総括	15	2 223	161.3	6.3	1 880	153.2	5.0	2 221	50.9	6.4	1 878	47.7	
高等学校		16	1 457	163.6	5.4	1 211	153.4	5.0	1 457	54.0	5.8	1 210	49.2	
		17	1 668	164.9	5.5	1 511	154.1	4.9	1 668	56.2	5.8	1 510	50.4	
		18	496	164.5	5.4	158	154.4	4.7	496	56.5	5.7	158	52.2	
		19	137	165.6	4.7	16	152.5	3.4	133	57.3	5.5	16	49.8	
高等学	昼の課程	15	1 844	161.4	6.3	1 817	153.2	5.0	1 843	50.9	6.3	1 815	47.7	
		16	1 131	163.9	5.4	1 144	153.5	4.9	1 131	54.1	5.9	1 143	49.1	
		17	1 226	165.4	5.5	1 459	154.1	4.9	1 226	56.6	5.9	1 458	50.4	
		18	89	165.7	5.6	97	154.9	5.0	89	58.0	5.4	97	52.4	
		19	6	168.6	3.0	3	154.5	4.2	6	59.6	5.5	3	50.5	
校	夜の課程	15	379	160.7	6.3	63	152.4	5.1	378	51.0	6.7	63	47.5	
		16	326	162.3	5.3	67	151.8	5.4	326	53.7	5.6	67	49.7	
		17	442	163.7	5.3	52	153.6	4.7	442	54.9	5.6	52	50.4	
		18	407	164.2	5.3	61	153.6	4.0	407	56.2	5.7	61	51.8	
		19	131	165.5	4.7	13	152.1	3.0	127	57.2	5.5	13	49.7	

生徒、児童および発育状況

標 準 差	胸 囲 (cm)						座 高 (cm)					
	男			女			男			女		
	受 検 員	平 均	標 偏 差									
1.6	297	52.4	2.3	246	51.3	2.3	252	56.4	2.4	227	55.8	2.7
1.9	1 055	53.7	2.5	993	52.6	2.4	881	58.6	2.8	870	57.9	2.7
2.1	2 605	55.0	2.6	2 407	53.6	2.5	2 332	61.0	3.0	2 159	60.5	2.9
2.0	2 216	56.4	1.7	2 185	54.8	2.4	2 216	63.4	2.8	2 185	62.9	2.6
2.3	2 291	58.4	3.1	2 276	56.7	2.6	2 293	66.1	2.7	2 278	65.6	2.5
2.6	2 416	60.3	3.3	2 333	58.5	2.7	2 417	68.2	2.9	2 333	67.8	2.8
3.2	2 667	62.2	3.1	2 466	60.6	3.2	2 670	70.5	2.8	2 468	70.4	2.9
4.1	2 847	64.3	3.1	2 622	63.2	3.7	2 847	72.5	2.9	2 623	72.9	3.3
5.1	3 004	66.3	3.7	2 955	66.3	4.4	3 000	74.4	3.2	2 959	75.9	3.7
2.4	98	57.1	2.7	127	55.0	2.9	90	62.9	2.5	121	62.6	2.6
2.1	122	58.9	2.7	131	57.6	2.9	115	65.7	2.9	130	65.4	2.6
2.9	107	61.0	3.1	122	60.1	3.0	100	67.9	2.6	117	67.7	3.1
3.4	158	62.9	3.1	120	62.0	3.8	153	69.9	2.6	115	70.3	2.7
3.7	140	65.4	2.9	145	64.6	3.7	128	71.8	2.5	133	72.5	3.3
4.7	146	67.9	3.8	139	68.3	4.3	134	74.1	3.0	129	75.7	3.4
5.9	4 711	69.2	4.3	4 611	70.5	5.2	4 709	77.5	3.9	4 611	79.5	3.9
6.0	5 321	72.5	4.8	5 043	73.9	5.1	5 319	80.8	4.4	5 040	82.0	3.5
5.8	5 448	76.7	5.2	5 216	76.9	4.8	5 449	84.6	4.4	5 215	83.6	3.1
6.0	141	70.2	4.3	143	71.2	5.2	141	76.6	4.1	143	78.5	3.9
6.2	160	73.0	4.8	167	74.7	4.9	160	79.3	4.4	167	80.6	3.6
6.0	165	77.7	4.6	169	77.9	4.8	166	84.1	4.4	169	82.4	2.9
5.7	2 219	81.0	4.6	1 876	79.3	4.6	2 221	88.2	3.8	1 876	84.3	2.9
5.6	1 457	83.9	4.5	1 211	80.3	4.4	1 457	89.6	3.4	1 211	84.7	2.9
5.5	1 668	85.4	4.6	1 508	81.3	4.4	1 668	90.0	3.2	1 511	84.7	2.6
5.5	496	85.2	4.5	159	83.2	4.5	496	90.0	3.2	158	85.2	2.7
4.1	133	85.1	4.1	16	82.3	3.5	133	90.3	2.8	16	84.6	2.2
5.7	1 841	81.3	4.6	1 813	79.3	4.6	1 843	87.4	3.8	1 813	84.3	2.9
5.7	1 131	84.4	4.5	1 144	80.3	4.4	1 131	89.3	3.2	1 144	84.7	2.9
5.5	1 226	86.3	4.6	1 456	81.3	4.4	1 226	90.1	3.3	1 459	84.7	2.6
6.1	89	89.3	4.5	98	83.1	4.8	89	91.1	2.8	97	85.5	2.8
2.8	6	88.6	4.0	3	82.8	2.5	6	90.6	2.7	3	87.5	1.6
5.4	378	79.8	5.0	63	78.7	5.1	378	86.8	3.9	63	84.0	2.5
4.7	326	82.1	4.3	67	80.9	4.4	326	88.4	3.2	67	84.1	2.6
5.7	442	83.1	4.0	52	82.4	5.6	442	89.1	3.2	52	84.5	2.8
4.6	407	84.3	4.2	61	83.3	4.1	407	89.6	3.0	61	84.7	2.4
4.3	127	84.9	4.0	13	82.1	3.7	127	90.3	2.8	13	83.9	1.8